


SXTG 5HPacD + RFSXT



Radiation pattern envelope (RPE)
V - polarization



— SXTG 5HPacD
independently

— SXTG 5HPacD +
shield RFSXT



Note : SXTG HPacD - mounting with only metal ring



Fig. 1 SXTG 5HPacD + RFSXT
mounting tube (diameter 42mm)




Fig. 2 SXTG 5HPacD + RFSXT

parameters documented test report No. 79/608/2014 / LRB (R) _Eng

SXTG 5HPacD-SA + RFSXT



Radiation pattern envelope (RPE)
V - polarization



— SXTG 5HPacD-SA
independently

— SXTG 5HPacD-SA
+ shield RFSXT

Note : SXTG HPacD-SA
mounting with only metal ring



Fig. 3 SXTG 5HPacD-SA + RFSXT
mounting tube (diameter 42mm)




Fig. 4 measurement SXTG 5HPacD-SA
(anechoic hall VUS B.Bystrica)

parameters documented test report No. 79/608/2014 / LRB (R) _Eng

SXTG 5HPnD + RFSXT



Radiation pattern envelope (RPE)
V - polarization



— SXT 5HPnD
independently

— SXT 5HPnD +
shield RFSXT



Note : SXTG HPnD - mounting with only metal ring



Fig. 5 SXTG 5HPnD
mounting tube (diameter 42mm)



Fig. 6 SXTG 5HPnD + RFSXT

parameters documented test report No. 79/608/2014 / LRB (R) _Eng